

GH310RF Wireless Heat Detector



Size and weight:

Diameter: 122mm **Depth:** 40mm **Weight:** 110g

Use:

For use in the Kitchens, Attics and Garages.

Not for use in Bedrooms, Bathrooms, Hallways and Landings.

Product features:

- Radio linked using 433MHz - linkable with up to 20 units
- Fixed temperature heat detector
- Link wirelessly using simple dip switch combinations (16 different options available), allow a minute to link, then press test button to link the detectors in the group and allow up to 30 seconds for the test to be successful
- Completely wireless installation, mount the base on the ceiling
- Sealed in (non-removable) 10 year Life 3v Lithium Battery
- 10 year product warranty (from date of manufacture)
- Easy fit base, with simple click fit detector mounting
- Hush feature
- Test button for both alarm and power test
- Alarm source indicator
- Low battery signal
- Loud 85dB signal
- Tested at every stage of the manufacturing process (5 in total)

GS610RF Wireless Optical Smoke Detector



Size and weight:

Diameter: 122mm **Depth:** 40mm **Weight:** 110g

Use:

For use in the Hallway, Landing and Living Room.

Not for use in Bedrooms, Kitchens, Bathrooms and Garages.

Product features:

- Radio linked using 433MHz - linkable with up to 20 units
- Link wirelessly using simple dip switch combinations (16 different options available), allow a minute to link, then press test button to link the detectors in the group and allow up to 30 seconds for the test to be successful
- Completely wireless installation, mount the base on the ceiling
- Photo Electric Sensor - less prone to false alarms, and ideal for detecting slow smouldering fires
- Sealed in (non-removable) 10 year Life 3v Lithium Battery
- 10 year product warranty (from date of manufacture)
- Easy fit base, with simple click fit detector mounting
- Hush feature
- Test button for both alarm and power test
- Alarm source indicator
- Low battery signal
- Loud 85dB signal
- Tested at every stage of the manufacturing process (5 in total)



BS 5446-2:2003



Approved KM 672401



BS EN14604:2005



Approved KM 638574

GH310RF

Wireless Heat Detector



Size and weight:

Diameter: 122mm

Depth: 40mm

Weight: 110g

Product features:

- Radio linked using 433MHz - linkable with up to 20 units
- Fixed temperature heat detector
- Link wirelessly using simple dip switch combinations (16 different options available), allow a minute to link, then press test button to link the detectors in the group and allow up to 30 seconds for the test to be successful
- Completely wireless installation, mount the base on the ceiling
- Sealed in (non-removable) 10 year Life 3v Lithium Battery

Use:

Recommended: For use in the Kitchens, Attics and Garages.

Not recommended: For use in Bedrooms, Bathrooms, Hallways and Landings.

- 10 year product warranty (from date of manufacture)
- Easy fit base, with simple click fit detector mounting
- Hush feature
- Test button for both alarm and power test
- Alarm source indicator
- Low battery signal
- Loud 85dB signal
- Tested at every stage of the manufacturing process (5 in total)



10 year life Energiser 3v lithium battery



10 year product warranty



Wireless inter-linkable detectors

GS610RF

Wireless Optical Smoke Detector



Size and weight:

Diameter: 122mm

Depth: 40mm

Weight: 110g

Product features:

- Radio linked using 433MHz - linkable with up to 20 units
- Link wirelessly using simple dip switch combinations (16 different options available), allow a minute to link, then press test button to link the detectors in the group and allow up to 30 seconds for the test to be successful
- Completely wireless installation, mount the base on the ceiling
- Photo Electric Sensor - less prone to false alarms, and ideal for detecting slow smouldering fires
- Sealed in (non-removable) 10 year Life 3v Lithium Battery

Use:

Recommended: For use in the Hallway, Landing and Living Room.

Not recommended: For use in Bedrooms, Kitchens, Bathrooms and Garages.

- 10 year product warranty (from date of manufacture)
- Easy fit base, with simple click fit detector mounting
- Hush feature
- Test button for both alarm and power test
- Alarm source indicator
- Low battery signal
- Loud 85dB signal
- Tested at every stage of the manufacturing process (5 in total)



10 year life Energiser 3v lithium battery



10 year product warranty



Wireless inter-linkable detectors